



Vehicle Docking Stations

Nashville, TN 615-889-8833 Anchorage, AK 907-264-6659

www.OutfitterSatellite.com
2911 Elm Hill Pike, Nashville, TN 37214



If you are buying an Iridium prepaid SIM, the promotions on this page apply to you!



9555 POTSDOCK by BEAM

- RJ-11 phone port for standard phone equip.
- Mini-USB data port
- Bluetooth support
- GPS tracking capabilities
- hands-free operation
- phone battery charges while docked
- Uses 100-240 VAC "wall power"
- Uses 9-32V DC "vehicle power"
- OPTIONAL permanent-mount car antenna
- OPTIONAL magnetic-mount car antenna
- OPTIONAL privacy handset with cradle (shown)

9505A DOCK

- hands-free communications
- privacy handset with cradle
- echo cancellation
- RS-232 serial data port
- charges phone's battery while docked
- runs on 12 VDC "car" power
- INCLUDES mag-mount antenna with standard 1.5-m cable
- OPTIONAL permanent-mount car antenna with 5-m cable
- OPTIONAL magnetic-mount car antenna with 5-m cable

PREPAID VOUCHER PURCHASED WITH PHONE	9555 POTSDOCK <small>*optional privacy handset not included</small> Reg. \$899 VALUE SEE PRICE AFTER PROMO BELOW	9505A DOCK with Privacy Handset Reg. \$599 VALUE SEE PRICE AFTER PROMO BELOW
500 or 700-MIN	\$699 AFTER \$200 DISCOUNT	\$299 AFTER \$300 DISCOUNT
1000-MIN	\$599 AFTER \$300 DISCOUNT	\$199 AFTER \$400 DISCOUNT
3000-MIN	\$499 AFTER \$400 DISCOUNT	\$99 AFTER \$500 DISCOUNT
5000-MIN	\$400 AFTER \$499 DISCOUNT	FREE AFTER \$599 DISCOUNT

* The Iridium 9505A or 9555 phones shown docked are not included with the dock. The offer is not available in combination with other offers and will expire without notice. Offer is only valid with purchase of Iridium phone and prepaid SIM card (1 dock discount per phone/SIM purchased).

HURRY! OFFERS VALID UNTIL CURRENT INVENTORY EXHAUSTED*



More Iridium Docks by ASE...

Nashville, TN Anchorage, AK
 615-889-8833 907-264-6659
www.OutfitterSatellite.com
 2911 Elm Hill Pike, Nashville, TN 37214

DOCKING SYSTEMS by ASE for the 9555

The DK075 ASE docking system for the Iridium 9555 lets you use standard phone equipment via its RJ-11 phone port. The sound quality is the best available over the Iridium network. There is an integrated speaker and microphone for hands-free operation and an optional privacy handset. A new *SmartDial* feature recognizes the correct dialing format for the country that is being called and adds digits as necessary. The docking system can be used with external mast antennas (not included) with cable runs up to 25-meters in length. Your computer can connect to the internet through the dock's USB port. The system includes an AC "wall" adapter but also runs on DC "vehicle" power from 9 to 36 VDC. The 9555 charges while docked.



Iridium 9555 Docking System
 DK050 version has optional privacy handset
 DK075 version has RJ-11 phone port
 Iridium 9555 not included.

DOCKING SYSTEM by ASE for the 9505A

The ASE docking system for the 9505A can be connected to any standard RJ-11 phone system. Your 9505A charges while docked. The docking station uses sound processing technology to eliminate background sound and facilitate DTMF (touch tone) reception. A ringer indicates inbound calls. Internet access is supported via serial port.



ASE 9505A Docking System
 Mast antenna & Iridium 9505A, not included.



External Antenna Accessories

Need help with an external antenna for your Iridium system. Outfitter Satellite has the expertise you need. We can supply a variety of standard and ruggedized mast antennas, magnetic-mount and permanent-mount car antennas, 10-meter to 25-meter coaxial antenna cables, lightning suppressors and more. Call us for assistance.

- Mast Antennas (passive)
- Low-Profile Car Antennas: magnetic and permanent mount types
- Active antennas with up to 80-meter cable runs
- Lightning suppressor kits
- Antenna cables: 10-m, 20-m, and 25-m



Iridium Phones for Office Applications

Nashville, TN
615-889-8833

Anchorage, AK
907-264-6659

www.OutfitterSatellite.com

2911 Elm Hill Pike, Nashville, TN 37214

BEAM RST100A Fixed Site

The RST100 Remote Satellite Terminal by BEAM provides voice, data, and messaging services through the Iridium network. A standard RJ-11 phone (not included) can be used with this system. Data at 2400 bps is supported using an RS-232 serial port. An LED display indicates the status of power, satellite signal strength, ongoing call status, and voicemail waiting. Kit includes the following:

- Satellite Transceiver with data cable, 110/240 AC-DC supply, mounting bracket, user guide, installation CD
- Mast Antenna (1" threaded pipe mount type antenna)
- 10-meter Antenna Cable (TNC-to-TNC type)

Options: External Ringer/Alarm, Intelligent Handset, 20-meter cable set. A similar DC-powered unit, the RST110, is available for marine applications. We also carry a variety of external antennas for your car, boat, or home (see right).

Rack Mount 4-Line MXU

The MXU mounts in a standard 19" rack and is typically used to provide Iridium voice line capability to a PBX, either as a primary or backup communications network. *Includes MXU, 4 mast antennas, cable kit, mast mounting kit, and user manual.*

VOICE SERVICES: Up to 4 simultaneous voice calls can be supported (inbound or outbound). Other powerful features of the MXU include call detail review and the option to PIN-protect access to outside Iridium lines to prevent unauthorized use. Inbound calls can be programmed to roll over if the lead number of the hunt group is busy, and a US phone number can be assigned to the lead number in the MXU's huntgroup to make calling the MXU straightforward.

INTERNET DATA SERVICES: The MXU can also be used for internet access and if desired all 4 Iridium channels can be multiplexed to provide a 9.6 kbps data rate.



BEAM RST100A Fixed-Site Iridium

Rear view of BEAM RST100 Fixed Site Iridium System.

OPTIONAL: Intelligent Handset (right top)

Dimensions: 8.8" x 10.6" x 1.2" (22.5 x 27.1 x 4.5 cm)

Rack mount console weight: 4.9 lbs (2.25 kg)

Operating Temperature: 5°F (-15°C) to 131°F (55°C)

Humidity: 93% NonCondensing

Power: 11-32 VDC At 12 VDC, the unit draws 0.35 Amps in standby, 0.51 Amps while transmitting. An 110/240 AC power supply is supplied with RST100.



SPECIFICATIONS

Dimensions: Rack: 19.0" x 20.0" x 7.0" (48.3 x 50.8 x 17.8cm)

Rack mount console weight: 25lbs (11.33kg)

Operating Temperature: 32°F (0°C) - 113°F (45°C)

Storage Temperature: -4°F (-20°C) - 140°F (60°C)

Humidity: 80% Relative Humidity at 104°F (40°C)

Power: 115/230 VAC, 50/60 Hz 115 Watts

Interface to PBX/PSTN: complies CRT21 (Europe); FCC part 68 (USA)

Operating (transmit and receive): 1616 - 1625.5 Mhz

Link Margin (w/external antenna): 12.5 dB average

Minimum distance between antennas: 3ft. / .9144m

Maximum loss between MXU / antennas: 3 dB Loss



Iridium Marine Terminals

Nashville, TN Anchorage, AK
 615-889-8833 907-264-6659
www.OutfitterSatellite.com
 2911 Elm Hill Pike, Nashville, TN 37214

IRIDIUM OPENPORT

OpenPort delivers reliable, cost-effective data and voice communications for shipping and fishing fleets. OpenPort offers three simultaneous voice lines and an always-on Ethernet port with internet access speeds up to 128,000 bps. The system does not require professional installation and includes a pole-mounting bracket for the 22.44" diameter antenna unit.

Data Services: Iridium developed OpenPort to fill the niche for users needing fast internet at a much lower equipment cost than available from expensive Inmarsat-based systems. Depending on the rate plan you select, the OpenPort can operate at internet data speeds (best case) of 9.6 kbps, 32 kbps, 64 kbps or 128 kbps.

Voice Services: There are voice ports with RJ-11 connectors that can be used with conventional phone equipment. The OpenPort also includes a Captains desk phone and a Crew desk phone. Each voice line can be configured for normal, Captains or Crew mode.

- Normal mode lets you send or receive calls with standard pay-as-you-go monthly billing. Voice lines have a US phone number for +1 Access.
- Captains mode is like normal mode but includes PIN protection so that unauthorized users cannot make outbound calls.
- Crew mode protects your budget and must be used only with prepaid 60-minute Scratch Cards.

Basic 9.6k Plan	Standard 32k Plan	Power 64k Plan
\$60 per month	\$330 per month	\$950 per month
1 Voice Line	3 Voice Lines	3 Voice Lines
Basic Voice Rate: \$1.69 per minute	Basic Voice Rate: \$1.29 per minute	Basic Voice Rate: \$0.99 per minute
Basic Voice: 0 min / month	Basic Voice: 100 min / month	Basic Voice: 300 min / month
Best data rate: 9.6 kbps	Best data rate: 32 kbps	Best data rate: 64 kbps
0 MB / month included	10 MB / month included	50 MB / month included

* All plans have 12-mo term and \$500 early cancellation charge. Other plans are available. Service required.

Iridium OpenPort 3 Voice Line Phone



ABOVE DECK (ANTENNA UNIT)

Antenna Dimensions: 9.06" high 22.44" dia
 Antenna Weight: 24.25 lb



BELOW DECK (INSIDE UNIT)

Inside Unit Dimensions: 7.78" x 9.84" x 2.17"
 Inside Unit Weight: 2.98 lb

What is included?

OpenPort Standard Kit

- Antenna Unit and Inside Unit
- 20-meter antenna cable
- AC/DC Power supply and cord
- Captains desk phone
- Crew Calling desk phone
- Antenna Pole Bracket Mount
- Inside Unit Mounting Kit
- Manual



Inmarsat Marine Terminals

Nashville, TN Anchorage, AK
615-889-8833 907-264-6659
www.OutfitterSatellite.com
2911 Elm Hill Pike, Nashville, TN 37214

If you need faster data speeds than available through Iridium, please consider an Inmarsat Fleet Broadband terminal. These terminals offer voice calling with simultaneous internet access. Broadband internet speeds reach up to 150 kbps. Outfitter Satellite offers prepaid internet access. There is no monthly fee so just buy the number of megabytes you want to use.

PREPAID INTERNET ACCESS: With the Skipper 150, you can easily receive weather images or navigation charts. Outfitter Satellite offers convenient reloadable prepaid internet-only service with no monthly fee.

VOICE COMMUNICATIONS: Optional voice communication is available for \$10 per month with conventional pay-as-you-go monthly billing. The Skipper 150 has a standard RJ-11 phone port, so you can use it with ordinary phone equipment. There is no reason to get off the internet to make a phone call. You can talk simultaneously while sending reports, regulatory information, or just browsing the internet.

GPS CAPABILITIES: The Skipper 150 includes a GPS receiver and can output NMEA 0183 formatted messages to provide accurate location information to onboard systems.

Features:

- Simultaneous voice and data
- Data speeds up to 150K bps
- Handset with large color LCD display
- RJ-11 port for standard phone
- GPS receiver supports NMEA-0183 output

Specifications:

- Services: Voice; Standard IP; SMS
- Antenna Size: 11.6 in. (Dia.) x 8.7 in. (high); 294 mm (Dia.) x 221 mm (high)
- Antenna Weight: 5.5 lbs (2.5 Kg)
- Below Deck Unit Size: 11.3 in. x 9.0 in. x 2.7 in. (287 mm x 229.6 mm x 69.7 mm)
- Below Deck Unit Weight: 6.2 lbs (2.8 Kg)
- Interfaces: 10Base-T with PoE (RJ-45); IP Handset (RJ-45); RJ-11 std. phone port
- Power: +10.8V - +31.2V DC; 100 Watts maximum including antenna



Skipper 150
Fleet Broadband Terminal

INTERNAL USE ONLY: REP: _____

BP: _____ Order #: _____

HARDWARE ORDER: (01221010)

QTY	DESCRIPTION OF ITEMS BEING PURCHASED:	PART #	UNIT PRICE
	Iridium 9555 Standard Kit Includes phone, padded soft case, battery, AC charger/plug kit, holster, magnetic mount car antenna with 1.5 m cable, antenna adapter, DC charger, and hands-free earpiece, USB to Mini-USB cable/Data CD, and user guide/quick start guide. <input type="checkbox"/> ADD PELICAN CASE \$50 - Select Color: <input type="checkbox"/> Black (default) <input type="checkbox"/> Orange <input type="checkbox"/> ADD POTSDOCK \$899	6047042 5017110 BLACK 5017130 ORANGE 3199005 SOLAR 6060013 POTSDOCK	\$1299
	USED Iridium 9555 Standard Kit (with 12-mo warranty)	6047042-R-K02	\$1095
	Iridium 9505A Standard Kit Includes phone, padded soft case, battery, AC "wall" charger with 5-piece international plug set, DC "car" charger, leather holster, magnetic mount car antenna 1.5 m cable, antenna adapter, hands-free earpiece, manual.	6010001	\$1595
	USED Iridium 9505A Standard Kit (6-mo warranty) <input type="checkbox"/> ADD SATTRANS CAR DOCK WITH PRIVACY HANDSET \$399 (dock is new)	6010001- R-K02 6060003 CAR DOCK	\$795
	USED Iridium 9505 Kit (3-mo warranty) Includes phone, padded soft case, battery, AC "wall" charger / int'l plug set, DC "car" charger, leather holster, magnetic mount car antenna 1.5 m cable, antenna adapter, hands-free earpiece.	LIMITED SUPPLY	\$395
	DATA: Internet Data Kit for 9505A (requires computer with RS232 serial port)	6020230	\$125
	DATA: PCMCIA-to-Serial Adapter for 9505A Data Kit for Windows XP	4057001	\$199
	DATA: USB-to-Serial Adapter <input type="checkbox"/> Win XP/Mac <input type="checkbox"/> Vista	4034000	\$30
	DATA: Used USB-to-Serial Adapter <input type="checkbox"/> Win XP/Mac	4034000-R	\$15
	FAX ADAPTER for using fax machines with 9505A or BEAM	6010322 custom order	\$550
	BATTERY SPECIFY: <input type="checkbox"/> 9555 #6060005 <input type="checkbox"/> 9505A #6020002 <input type="checkbox"/> 9505/9500	#6010220	\$99
	AC Wall charger w/ plug kit SPECIFY: <input type="checkbox"/> 9555/9505A <input type="checkbox"/> 9505/9500	6020008, 6010150	\$105
	DC Auto Charger SPECIFY: <input type="checkbox"/> 9555/9505A <input type="checkbox"/> 9505/9500	6020007, 6010130	\$65
	AVIONICS: FlightCell Pro		\$700
	PORTABLE DOCK: BEAM 9555RS RapidSAT for 9555	custom	\$1650
	DOCK: BEAM POTSDOCK for 9555 (see antenna options below)	6060013	\$899
	DOCK: PRIVACY HANDSET/CRADLE FOR BEAM POTSDOCK	6060014	\$130
	DOCK: ASE-DK050 Car Dock for 9555 (antenna not included)	6060008- 9555	\$899
	DOCK: ASE-DK075 Dock for 9555 (antenna not included select below)	6060010- 9555	\$1499
	DOCK: SATTRANS Car Dock for 9505A (includes Privacy Handset)	6060003	\$599
	BEAM RST100 REMOTE SATELLITE TERMINAL Includes Remote Satellite Terminal, 110/240 AC-DC supply, mounting bracket, data cable, user guide, installation CD, threaded-pole-mount mast antenna, and 10-meter cable.	6153008 custom order	\$2995
	BEAM RST100SC Sea Captain Includes RST100 Remote Satellite Terminal kit components plus RST710 Intelligent Handset with cradle/mount.	6153008 custom order 6060011	\$3495
	ANTENNA: Replacement 9505/9505A Stick Antenna	6010090	\$205
	ANTENNA: Mag-Mount Car Antenna with 1.5-m cable	6010300	\$50
	ANTENNA: Car Antenna (5-m cable) Select: <input type="checkbox"/> mag-mount <input type="checkbox"/> fixed mount	6047040 or 6047000	\$199
	ANTENNA: Mast type with 1" Threaded Pipe	6047120	\$199
	ANTENNA: Active Antenna (AD520-10 requires DC power) <input type="checkbox"/> Add \$120 for short TNC pigtail <input type="checkbox"/> Add \$300 for 40-meter N-type cable	SMN-30037 SMN-CPRT, -20068	\$2550
	Lightening Suppressor Kit (with 1.5m inside cable, 0.5m outside cable)	6060009 custom order	\$205
	10-meter Antenna Cable (TNC-to-TNC)	6850052	\$99
	20-meter Antenna Cable (TNC-to-TNC)	6850053	\$159
	25-meter Antenna Cable (TNC-to-TNC, LMR 240 type cable)	6850054	\$299
	Other:		

By signing below, Customer is purchasing the selected items from Outfitter Satellite, Inc. and agrees that the terms and conditions and payment method described in the separately executed CUSTOMER ACCOUNT SETUP AGREEMENT apply. Service contract is required for phone purchases.

CUSTOMER SIGNATURE: _____ **DATE:** _____

If no other instructions are specified, the default shipping method and address on file for your account will be used.

FedEx Ground FedEx 2-Day FedEx 3-Day FedEx Priority Overnight FedEx Saturday Delivery

SPECIAL SHIPPING INSTRUCTIONS: _____